





OUTLINE INDICATES CUBICLE POSITION FOR 4 x SM6 UNITS CONDITION



NUMBER OF CUBICLES	2	3	4	5	6	7
DIMENSION C	600	975	1350	1725	2100	2425
DIMENSION A	750	1125	1500	1875	2250	2625
DIMENSION B	720	1095	1470	1845	2220	2595
STOCK CODE	414663	414664	414665	414666	414667	414668

MATERIAL: DURAGAL CHANNEL
 BOLT: M10x30 AND ALL WELD TO FRAME
 FINISH: ALL WELD BOLTS AND HOLES ARE REPAIRED WITH MINIMUM OF TWO COATS OF ZINC PRIMER
 TOLERANCE: ALL HOLE SIZE 13MM DIAMETER ±1MM
 ±2MM GENERAL



0	ISSUED FOR CONSTRUCTION	V. TANG	05/09/11	B. N	T. TANG
NO	DESCRIPTION	DRN	DATE	CKD	APPD
AMENDMENTS					

DES	V. TANG	POWER STANDARD DRAWING		
DRN	V. TANG	SCHNEIDER ELECTRIC MERLIN GERIN		
CKD	B. N	RING MAIN UNIT SM6		
APPD	T. TANG	MOUNTING FRAME 400A-630A 1M.DM1.0M. GBM.1MB.GBC		
SCALE	N. T. S	UNITS		
ISSUED	05/09/11	A3	DRAWING NUMBER	S02-1-4-20
ALL DIM. IN mm				
DRAFTING STANDARD TO A.S.1100		CAD PRODUCT - DO NOT AMEND MANUALLY		AMDT