




PLAN
1200 DIA ACCESS CHAMBER - RECTANGULAR COVER
 1200 DIA. (NOMINAL), MINIMUM INTERNAL DIAMETER 1100mm
 REFER TO NOTE 13 ON STD DRG W2-2-01D




SECTION C
CLASS D COVER
 CLASS B COVER SIMILAR
 DEPTH OF CONCRETE PRECAST TOP 250-300



DETAIL 1



SECTION B
CHAMBER DETAILS



SECTION A

NOTES:

1. REFER TO NOTES 1 - 15 ON STD DRG W2-2-01D.

6	GENERAL AMENDMENTS 2018.	P.W.	SEPT' 18	I.L.	D.C.
5	DRAWING REVISED.	AW	JUN' 11	R.J.	J.P.
4	DRAWING REVISED.	RGI	AUG' 08	R.J.	J.P.
3	GENERAL AMENDMENTS.	RGI	MAR' 99	CSP	NWM
2	REDESIGNED AND REDRAWN FROM OLD DRG.	RGI	DEC' 96	CSP	CHY
NO	DESCRIPTION	DRN	DATE	CKD	APPD
AMENDMENTS					

 NORTHERN TERRITORY	DES	C.PASCOE	SEWERAGE STANDARD DRAWING SEWER MAINS - ACCESS CHAMBERS PRECAST CHAMBERS (UP TO 6.0m DEEP WITH MAINS <DN450)
	DRN	R.INNES	
	CHK	C.PASCOE	
	APPD	H.YAU	
	SCALE	N.T.S.	
	ISSUED	07/10/96	
	ALL DIM. IN mm		
DRAFTING STANDARD TO A.S.1100		CAD PRODUCT - DO NOT AMEND MANUALLY	

A3	DRAWING NUMBER W2-2-02	6
		AMDT