

Application for Connection of Water and/or Sewer

A proponent of the development activity or representative is required to complete this form and submit to PWC Indigenous Community Development for approval. For more information visit powerwater.com.au

Northern Region

In person Ben Hammond Complex
Iliffe Street, Stuart Park 0810
Mail PO Box 37471, Winnellie NT 0821
Phone 8924 5094
Fax 8924 5121

Email RemoteCommunityServicingNorth@powerwater.com.au

Southern Region

In person Sadadeen Valley
Berger Court, Alice Springs 0871
Mail PO Box 1521, Alice Springs NT 0871
Phone 8951 7273
Fax 8951 7347

Email RemoteCommunityServicingSouth@powerwater.com.au

1. Land & Customer Account (Developer) Details

Land Details

Lot No. : _____ Street Address: _____

Community: _____ Existing Water Service Size (mm): _____

Provide details of the proposed land/building use (e.g. 3x2 b/r units): _____

Land Holder (after completion): Territory Housing/SIHIP GEH Council / Shire
 Other: _____

Customer Account (Developer) Details

Business Trading Name: _____

ABN/Business Registration No.: _____ PWC Customer ID No.: _____

Customer Name: _____ Phone: _____

Postal Address: _____

2. Constructor Details

Applicant (Constructor) Details

Company: _____ Contact: _____

Phone: _____ Email: _____

Postal Address: _____

Certifying Plumber

Name: _____ Company: _____ BPR No: _____

Power and Water Corporation (PWC) accredited: Yes No

If no, plumber must make an application to PWC.

Water

3. Type of Connection

- New water meter
- Connection to existing mains (Site Servicing Plan must be provided)
- New or upgraded water service (as-constructed drawing and site servicing plan must be provided)

New extensions/subdivision connections (provide information as per Asset Handover Guidelines)

Disconnection of water service (provide Site Servicing plan)

Proposed service size: _____ (mm domestic) _____ (mm fire)

4. Backflow Prevention (To be completed by the developers accredited backflow prevention assessor)

1. Description of contamination hazards: _____

2. Hazard Level (assessment based on AS3500.1) LOW / MEDIUM / HIGH

3. Backflow prevention device:

DUCV SCV DCV RPZD Break Tank

4. Upon installation a "notice of installation" and "valve test certification report" must be completed and returned to PWC's Indigenous Community Development Officer.

Accredited backflow assessor name: _____ Signature: _____

5. Water Demand Provide details of water demand on the land

Fixtures to be installed	No.	Internal Use Only	Other Installation Requirements
Water Closets		2	<i>Fire Fighting Equipment, as required by the NT Fire Service</i>
Urinal Cisterns		2	
Hand Basins		1	
Washing Machine		3	Number of Fire Hose Reels _____
Dish Washer		3	FHR Fire Flow Required _____ L/sec
Baths		8	Number of Fire Hydrants _____
Showers		2	Hydrant Fire Flow Required _____ L/sec
Drinking Fountains		0.5	Storage Tank Capacity _____ kL
Sinks: Kitchen		3	Storage Tank Recharge Rate _____ L/sec
Cleaners		3	Sprinkler System Required
Laboratory		3	Operating Pressure _____ KPa
Laundry Trough		3	Total Flow Rate _____ L/sec
Hose Cocks 15mm		4	Other Storage Tanks (Non Fire Service)
20mm		8	Storage Tank Capacity _____ kL
Fire Hose Reels		8	Storage Tank Recharge Rate _____ L/hr
Others			
UNITS			Evaporative Air-conditioning Equipment:
P.S.F			Number of A/C Units _____
Total Flow (L/sec)			Flow Required for Make-up Water _____ L/hr
Flow for all Other Installations e.g. air-con			Flow Required for Bleed-off Water _____ L/hr
Total Flow (L/sec)			0.0033 L/sec for each unit

6. Water Meter Details (Internal use only)

Meter Sizes (mm) and types (circle applicable):

Domestic: PSM HELIX Combination Size: _____ (mm) Meter No. _____

Fire: PSM HELIX Combination Size: _____ (mm) Meter No. _____

Sewer

7. Type of Connection

Connection to existing junction (as-constructed drawing, field return sheet, approved site servicing plan and section 40 certificate of compliance must be provided)

New junction (as-constructed drawing, field return sheet, approved site servicing plan and section 40 certificate of compliance must be provided)

Sub-division (as-constructed drawing, field return sheet, certificate of compliance and other test certificates, 'Asset Handover' documentation and approved site servicing plan must be provided)

8. Trade Waste

- 1. Is any trade waste to be discharged into the sewerage system? Yes No
(Trade waste refers to liquid waste other than domestic sewerage)
- 2. Has the trade waste discharge approval been granted? Yes No N/A
(If no, contact Indigenous Community Development Officer)

9. Certification The applicant hereby certifies the following:

- 1. That the developer has authorised the applicant to act on their behalf.
- 2. The applicant accepts the conditions of approval.
- 3. The applicable developer contribution fees will be paid.
- 4. The internal sanitary drain has been installed as per AS3500 and has passed a hydrostatic test.

Signature of applicant: _____ Date: / /

10. Approval by Indigenous Community Development Officer (Internal use only)

Conditions of approval

- 1. An accredited plumber shall construct the water service arrangement in accordance with the relevant PWC standard drawing/s
- 2. An accredited backflow prevention installer shall fit the backflow prevention device mentioned above
- 3. No pumps shall be connected to the internal water service without the use of break tanks
- 4. The applicant will send the **Field Return Sheet** and **Meter Movement Advice** (MMA) to PWC once the meter arrangement (including backflow prevention device) is complete. This is expected within 30 days from issue of meter.
- 5. The applicant will conform to the requirements and procedures for entry into confined spaces, as per NT Worksafe Bulletins WH 02.01.04 and WH 02.02.05, Work Health Regulation 61 and Australian Standard 2865 - "Safe Working in Confined Space"
- 6. The applicant will take responsibility for ensuring appropriate risk assessment procedures are followed and a specific safe work plan for the proposed connection works is adopted.
- 7. The internal sanitary drain shall be capped during building works and construction material and stormwater shall be prevented from entering the sewer.
- 8. The applicant will ensure contractors are PWC accredited and have completed PWC Access to Apparatus Training.
- 9. Other: _____

Name: _____ Signature: _____ Date: / /

Email approved copy to IES Retail: _____ Signature: _____ Date: / /