


**FOR POTABLE WATER ONLY**


**PERMITTED FOR SCHOOLS OR OUTDOOR SPORTING VENUES**

**NOTES:**


1. ALL DIMENSIONS IN MILLIMETRES UNLESS NOTED OTHERWISE.
2. A BACKFLOW CERTIFIED PLUMBER IS REQUIRED TO DETERMINE THE RISK OF CONTAMINATION OF THE POTABLE WATER SUPPLY DUE TO CROSS CONNECTIONS - REFER AS/NZS 3500.1.
3. ONE BRANCH TYPICALLY SUPPLIES IRRIGATION SYSTEMS. IRRIGATION DEMAND SHOULD BE PROGRAMMED NOT TO OVERLAP DOMESTIC SUPPLY PEAK TIMES (IE IRRIGATION FLOWS SHOULD BE OFF PEAK).
4. NOT TO BE CONSTRUCTED WITHOUT SPECIFIC PROJECT DRAWINGS APPROVED BY PWC.



**DN100 METER - OPTION 1**



**DN100 METER - OPTION 2**



**DN50 METER**

FOR USE WITH 2 x DN50 BACKFLOW DEVICE

1	GENERAL AMENDMENTS 2020.	PW	JULY'20	JR	DC
0	ISSUED FOR INFORMATION.	AW	JUNE'18	JR	DC
NO	DESCRIPTION	DRN	DATE	CKD	APPD
	AMENDMENTS				



DES	TMCK	WATER STANDARD DRAWING	
DRN	AW	SERVICES	
CHK	RJ	DUAL DN100/150 AND DN50/100 METER CONNECTIONS	
APPD	JP	ORIENTATION OPTIONS - DOMESTIC AND IRRIGATION	
SCALE	N.T.S.	A3	DRAWING NUMBER
ISSUED	SEPT'14		W1-1-20C
ALL DIM. IN mm			
DRAFTING STANDARD TO A.S.1100		CAD PRODUCT - DO NOT AMEND MANUALLY	
			1
			AMDT