

Drawing Services - 05 - Drawing Amendment Notations

Corporate Work Instruction

Hazards	Personal Protective Equipment	Tools & Equipment
N/A	N/A	N/A

Note: This work instruction should be read in conjunction with the other Drawing Instructions. Refer to the Overview of Drawing Instructions for details.

Note: Additional Drawings Work Instructions exist for the provision of Water and Sewerage Infrastructure in subdivisions, refer to Guidelines for Developers and Consulting Engineers (TRIM: D2007/24189); and provision of Power Infrastructure in subdivisions, refer to Power Networks Design and Construction Guidelines, NP001.10 Documentation Requirements (TRIM: QDOC2007/15).

1. Amendments are identified in two areas on PWC Drawings:

- a. Adjacent to the title Block (in the amendment triangle); and,
- b. In the Amendment Description Box.

0	Issued for Construction	RI	27/5/96	MWB
NO	Description	Drn	Date	Apd
Amendments				

2. Amendment Identification Types

Alphabetical, ie 'A', 'B' and similar.	Amendments prior to "Issued for construction"
Zero '0'	Amendment "Issued for Construction"
Numerical, ie '1', '2' and similar	Amendments following "Issued for Construction"

3. Amendment Recording / Microfilming

Alphabetical amendments eg: 'A' are used only at Design stage.

Only "Approved" or "Issued for Construction" eg: '0' and numerically identified amendments are to be archived on the drawings database.



Danger



Caution

Tag



Environmental



Permit



Document

Approved by: Paul Heaton General Manager Water Services	Prepared by: Ronald Innes Technical Officer Engineering Drawings	Issue Date: 26/02/2007	Status: Approved
		File No.: F2005/3207	Version: 1